
REV ECN A 120054

₽

Reference File: D:\Inventor Workspace\Inventor Files\Mix-Mill\92007100-92007199\92007110.iam





NOTES: 1. DO NOT SCALE FROM DRAWING.

D. DO NOT SCALE TROM DRAWING.
ALT DIMENSIONS [X,X] IN MILLINETERS.
RECOMMENDED MAINTENANCE CLEARANCE; FRONT: 36.00 [914.4], SIDE & REAR: 24.00 [609.6].
WEIGHT AS SHOWN WITH 30 HP DRIVE MOTOR: 657 LBS [298 KG].

2

AUGER OUT UPWARD GUARD TO REAR (RT SIDE VIEW) + 1] EXTREME [877.1 34.53 – 37.33 [948.1] TYP. – __.23 [5.7] & MOTOR NOT CENTERED ON CASING AUGER OUT FORWARD GUARD TO REAR (BACK VIEW) 101 ŝ 9.38 [238.1] --4.18 [106.2] 18.38 [466.7] POWER IN 30HP ____26.47 [672.3] ¢____ INFEED FFD 25 [768.5 INFEED 4] ő AUGER OUT FORWARD Ξ 5.98 [152.0] ¢ 15.83 [402.1 GUARD TO REAR (RT SIDE VIEW) This drawing is the property of the A.T. Ferrell Company, Inc and must be returned immediately upon request. No part of this drawing may be reproduced, stored in a I retrieval system or transmitted in any form or by any means. CAD MIX-MIL NO MANUAL CHANGES FARMATIC TOLERANCES EXCEPT AS NOTED I, INDIANA - US ECIMAL: xxx ± .005 1:12 DMJ jlmoss XX ± .03 or by any means, without prior written consent of the A.T. Ferrell Company, Inc MILL ASSY, SIDE DISCHARGE, SENTRY 1030 ± 1/32 GULAR 7/12/2012 D 92007110-I 1 of 2 ± 1/2"





1
a 73

	43	K910-0	11271	1	KNO	B, NORTHWESTER			
	43	90007		1		E WLDMT, MOTOR			
	42			1				120	
	-	90007170			INLET WLDMT, 6" REVERSIBLE, SENTRY 130			130	
	40	90007150		1	DOOR WLDMT, OUTER, SENTRY 130			LIGED	
	39	90007120		1		BRACKET ASSY, HANGER BEARING, 6" AUGER			
	38 37	90007110		1		MILL HOUSING, SIDE DISCHARGE WLDMT			
			80020017			LATE, BUILD: CLIPPER, FERRELL-ROSS			
	36	<u> </u>	006517			DECAL, MOTOR WARRANTY SERVICE			
	35		80006506			DECAL, WARNING OPEN SWITCH			
		80006009		3		KNOB, 4-LOBE, 3/8-16 THRU			
	33	80003				DECAL, MADE IN THE USA			
	32	80003	662	1		AL, MIX-MILL 5 x 2			
	31	80003		1		AL, WARNING, FAI			
2)	30	70004	510	2	LATC	H, MILL DOOR CL	-250-PA		
*	29	67003	800	2	NUT,	HEX NYLOCK 5/1	6-18		
	28	66785	200	4	NUT,	1/2-13 HEX SERF	ATED		
	27	66784	400	4	NUT,	HEX SERR LOCK	3/8-16		
	26	66783	800	20	NUT,	HEX SERR LOCK	5/16-18		
	25	66782	600	8	NUT,	HEX SERR LOCK	10-24		
	24	66405		4		HER, FLAT 1/2" T			
	23	65684		5	_	S, SERRATED WAS		6 X .75"	
	22	65683		5		S, SERR WASHER			
	21	65683		16		, MACH HX WSH F			
	20	62585		4				1/2	
	19	-							
	18	62583817 62342617		2	HHCS, 5/16-18 X .75"				
18 62342617 17 49000824		-							
16 44010720									
	15	33000715		1	MTR, 30HP 3536 0/6 230/460V TEFC 286TS				
	14	33000		1	MTR 3/4HP 3D18 0/6 TEFC FT				
*	13	31008025		1	SWITCH, MICRO, DOOR				
	12	11227		1	COVER, 4" HOLE, 6 BOLT, SENTRY 130				
	11	11223		4	MNT PLT, LATCH, D MILL				
	10	11221		1	SEAL, FELT WASHER 1.63 ID X 4.00" OD, CUPPED				
	9	11194		1	PLATE, IDLER BEARING BASE, 8.25"				
	8	10A383		1	BEATER HUB ASSY, 18" MILL				
*	7	2A1467-K		1	SCREEN WLDMT, 8 X 18" SPLIT, 1/2", 188				
	6	5 2A1261 4 2A1252 3 2A1251		1	WEAR PLATE WLDMT, 6" AUGER BAFFLE, 188				
	5			1	SCREEN TIGHTENER, WLDMT SUPPORT, INNER DOOR, 188 WEAR PLATE WLDMT, SCREEN, 188				
	4			1					
	3			2					
	2			1	DOOR WLDMT, INNER, 188				
	1 1A1814		3	SPACER WLDMT, INNER DOOR, 188					
ITEM PART NUMBER			QTY						
						Parts List			
This drawing is the	C								
property of the A.T. Ferrell Company, Inc				MIX-MILL					
and must be returned		NGES		EADMATIC					
immediately upon		ANCES			FEED PROCESSING SYSTEMS				
request. No part of this drawing may be				T. FERRELL COMPANY					
reproduced, stored in a	DECIMAL	IMAL: FINISH:			ELL UON	SCALE:	DRAWN BY:	APPROVED BY:	
retrieval system or transmitted in any form	XXX :	xxx ± .005				1:9	jlmoss	DMJ	
or by any means,			TITLE:		DE 51		V 1020		
without prior written				ASSY, SIDE DISCHARGE, SENTRY 1030 ISIZE: IPART NUMBER: ISHEET:					
consent of the A.T.	ANGULAR: DATE: ± 1/2' 7/12/20				SIZE: PART NUMBER: SHEET: D 92007110 1 of 1				
Ferrell Company, Inc									

